Sign in

Cient server and parallel worker thread spawn

Search

Advanced Scholar Search Scholar Preferences

**Scholar** Articles and patents

include citations anytime

Create email alertResults 1 - 10 of about 727. (0.10 sec)

### Evaluating architectures for multithreaded object request brokers

osuledu (POF)

DC Schmidt - Communications of the ACM, 1998 - portal acm.org

... properly, multithreaded ORBs can improve the efficiency and predictability of **client** and **server** applications ... For instance, multiple client requests can be ser-viced simultaneously by one or more ... of control, which can be mapped to CPU and executed in parallel on multiprocessor ...

Cited by 119 - Related articles - All 23 versions

# [PDF] A pattern language for improving the capacity of layered **client/server** systems with multi-threaded servers

psu.edu (PDF)

D Petriu, G Somadder - Proceedings of EuroPLoP'97 - Citeseer

... Example Figure 7 shows the effect on the system throughput of moving the reception of **client** messages from the main thread to the worker threads in a software server using a thread pool with 10 threads. ... Worker thread (parallel reception) Page 10. ...

Cited by 10 - Related articles - View as HTML - All 9 versions

## Design and performance of a dynamically configurable, messaging protocols framework for real-time corba

psuledu (PDF)

R Klefstad, S Rao, DC Schmidt - 2003 - computer.org

... A client sends a two-way Request message to a server and therefore ex- pects to receive a Reply message. The main thread of the client loads the Request marshal message of type 1.0 in the writer cache. Simultaneously, a pre-loaded parallel worker thread loads into the ...

Cited by 11 - Related articles - All 23 versions

# An overview of the Opus language and runtime system

psuledu (PDF)

P Mehrotra, M Haines - Languages and Compilers for Parallel Computing, 1995 - Springer

... needed to support RPC-style communications [21], as well as client-server applications and ... Chant utilizes the **server thread** and the remote service request mechanism to implement primitives ... introducing a new object, called a rope, which corresponds to a data parallel thread. ...

Cited by 35 - Related articles - 8L Direct - All 13 versions

# Effective static race detection for Java

psuledu (PDF)

M Naik, A Aiken, J Whaley - ... of the 2006 ACM SIGPLAN conference ..., 2006 - portal.acm.org ... annotations, such as allow- ing the user to exclude: • A pair (i1,i2) where i1,i2 ∈ lext invoke methods in the interface of an open program that are not intended to be invoked in parallel on shared data by a **client**. ... A pair (i, i) where  $i \in lint$  spawns a single **thread** (or spawns ...

Cited by 124 - Related articles - BL Direct - All 52 versions

#### [BOOK] Pthreads programming

B Nichols, D Buttlar, JP Farrell - 1996 - books.google.com

... 7 Specifying Potential Parallelism in a Concurrent Programming Environment 9 Parallel vs. ... Server:

Boss Thread (atm svr.c) 49 2-8 Multithreaded ATM Server: Worker Thread process request 50

2 ... matrix serial.c) 55 2-10 Multithreaded Matrix-Multiply Program main Routine 56 2 ...

Oiled by 327 - Related articles - Library Search - All 3 versions

#### Software architectures for reducing priority inversion and non-determinism in real-time object request brokers

psuledu (PDF)

DC Schmidt, S Mungee, S Flores-Gaitan, A ... - Real-Time Systems, 2001 - Springer

... Each **thread** processes requests that are sent to its servant by **client threads** on the other UltraSPARC-2. Page 21. ... The **server** benchmarking configuration is implemented in the various ORBs as follows: •CORBAplus: which uses the **worker thread** pool architecture ...

Offed by 97 - Related articles - St. Direct - All 25 versions

#### [PDF] JavaPorts: An environment to facilitate parallel computing on a heterogeneous cluster of workstations

psu.edu (PDF)

ES Manolakos, DG Galatopoullos - INFORMATICA-LJUBLJANA-, 1999 - Citeseer

... A special purpose stack residing on the **client** side allows the user to push and pop tasks destined to be ex- ecuted on ... a simple and user friendly environ- ment for the rapid prototyping of **parallel** appli- cations on clusters, but also high quality **parallel** code in ... Manager **Worker** ...

Cited by 8 - Related articles - View as HTML - BL Direct - All 3 versions

#### [PDF] A distributed parallel programming framework

psu.edu (PDF)

N Stankovic, K Zhang - IEEE Transactions on Software Engineering, 2002 - Citeseer

... limitation of most current systems is the synchronous point-to-point (ie, **client-server**) nature of ... approach also eliminates a potential bottleneck caused by a single file **server** servicing many ... STANKOVIC AND ZHANG: A DISTRIBUTED **PARALLEL** PROGRAMMING FRAMEWORK ...

Orted by 18 - Related articles - View as HTML - BL Direct - All 21 versions


# Lottery scheduling: Flexible proportional-share resource management

osuledu (POF)

CA Waldspurger, WE Weihl - ... of the 1st USENIX conference on ..., 1994 - portal acm.org

... client-server ap- plication that shares properties with real databases and in-formation retrieval systems. Our **server** initially loads a 4.6 Mbyte text file "database" containing the complete text to all of William Shakespeare's plays.7 It then forks off several **worker threads** to process ...

Olfed by 712 - Related articles - All 152 versions





Result Page:

1 2 <u>3 4 5 6 7 8 9 10</u>

client server and parallel worker thr

Search

Go to Google Home - About Google - About Google Scholar

©2010 Google